

# MySQL???????????????????? ??

??

????????MySQL????????????????????????????????

????????DB????????????

????????

- ?????DB????????????????????
- ?????????????????????????
- cron????????????????????

????????

- Ubuntu 24.04
- MySQL 8.0.39

???

????????

???????? db\_account.txt ?????DB????????????????

```
[client]
user = db_user
password = "password"
```

- ?????400????(chmod 400 db\_account.txt )
- ?????????

????DB???

1. ?????
2. ???????

????????????????(wasabi)????????

????????

????????????????????/??????????????

?????

??????

- ?????????(?)
  - mysql\_db\_backup.sh

????????????????

```
#!/bin/bash

## ##### ##

# $HOME#####

HOME_DIR="/home/hoge"

# SQL#####(##)#####

backup_dir="/path/to/backup/directory"

# #####

keep_days=7

# #####/#####/#####

current_date=$(date +%Y%m%d)

backup_name="backup_mysql_${current_date}"

zip_file="backup_mysql.${current_date}.zip"

# #####

credentials_file="${HOME_DIR}/script/config/db_account/db_account.txt"

# #####

password_dir="${HOME_DIR}/dbrestore_password"

password_file="${password_dir}/db-restore.${current_date}.txt"

# redmine#####

database_name=database

# #####

options="--defaults-extra-file=$credentials_file --no-tablespaces --single-transaction"

# #####

backup_file_pattern="backup_mysql*.zip"

# #####

password_file_pattern="*restore*.txt"

## ##### ##

## ##### ##
```

```

# 1. [redacted]400[redacted]
# 400[redacted]
permissions=$(stat -c "%a" "$credentials_file")
if [ "$permissions" != "400" ]; then
echo "[redacted]400[redacted]"
exit 1
fi

# 2. [redacted]
mkdir "${backup_dir}/${backup_name}"

# 3. mysqldump [redacted]
mysqldump $options -h localhost $database_name > "${backup_dir}/${backup_name}/${backup_name}.sql"

# 4. [redacted]
password=$(openssl rand -base64 12)
cd "${backup_dir}/${backup_name}"
zip -r "${backup_dir}/${zip_file}" -P "$password" .
cd -

# 5. [redacted]
rm -rf "${backup_dir}/${backup_name}"

# 6. [redacted]
echo $password > $password_file

# 7. [redacted]600[redacted]
chmod 600 $password_file

# 8. [redacted]
find "$backup_dir" -name "$backup_file_pattern" -type f -mtime +$keep_days -delete
find "$password_dir" -name "$password_file_pattern" -type f -mtime +$keep_days -delete

## [redacted] ##

```

???

```
chmod +x mysql_db_backup.sh
```

??????????

??????????

????????

```
./mysql_db_backup.sh
```

????????

- 1. ?????????????????mysql\_dump????????????
- 2. ?????????????????zip????????
- 3. ?????????????????????????????????????
- 4. ?????????????????????????????????????

??????DB??

```
unzip backup_mysql.yyyymmdd.zip
```

????????????????

```
db-restore.yyyymmdd.txt ????????????????
```

???

```
unzip -P $(cat /path/to/password_file.txt) /path/to/zip_file.zip -d /path/to/output_directory
```

????????????????

cron??

????????

```
crontab -e -u hoge
```

?cron??????

```
0 2 * * * /home/hoge/script/directory/mysql_db_backup.sh
```

????????????DB????????